


LandDecor

LandDecor



avyanna | 2.0

Outdoor Porcelain Pavers

600x1200mm | 300x1200mm | 600x900mm | 600x600mm

20mm Thickness

Land Decor Tiles LLP

Sr. No. 47, Sartanpar Road, Nh-27, At - Sartanpar,
Tal - Wankaner, Gujarat-363621.

www.landdecortiles.com



• • •


Become the center of artistry

avyanna | 2.0

INTRODUCING THE AVYANNA COLLECTION

Origin: **Sanskrit** | Meaning: **Strong and Beautiful** | Pronunciation: **A-vya-nna**

Our Porcelain Paver series is named 'Avyanna' as the name depicts the features of the tiles - beautiful and strong. We have manufactured this series in such a way that we have converted all the drawbacks of Natural stone into our advantages. The designs of this series are inspired by the heritage of India which is why a Sanskrit name is chosen. This series is under the impressive influence of Indian sandstone and limestone which is one of the strong fortes and specialties of our country for years in this industry



The Thickness Spirit

avyanna | 2.0

20MM ✦ THICKNESS

Designing outdoor spaces, if done correctly, can give an elegant uplift to your abode and make it look more spacious and stylish. Installations done after proper planning can set your outdoor space apart from the rest and make it look absolutely stunning! These tiles are immune to harsh weather conditions and have a high physical strength. We aim to provide you with a lavish and spectacular patio.

LandDecor



TECHNICAL FEATURES



Non-slip
(R11) surface



Frost
resistant



Resistant to
breaking loads



DIY (Easy to Do It
Yourself at home)



Resists sudden
temperature changes



Light-resistant
colours



Resistant to
chemical products



Fire
resistant



Does not
absorb water



Easy
to clean



Moss and
mould resistant



Salt
resistant



Easy to inspect
and replace



Impact
resistance



Resistant
to abrasion



Resistant
to staining



Resistant
to blemishes



Resistant to
deep scratches



Easy
to install

Add Strong
And Natural Elements.

Available Size

To produce great tiles, we have to have great infrastructure. As such, it frames the base of our entire unit of production. So we make sure that we house only the best of the elements and resources, so that we can deliver what we promise, and that is peerless products. Our entire infrastructure set up is designed considering the convenience of the workers and also protection of the products. We have apparatus, machineries and other necessary tools placed in a specified order. Besides, our love for nature is prominent, hence being eco-friendly is our habit. The set thus promotes recycling and minimum wastage.



600x
1200mm



600x
900mm



600x
600mm



297x
600mm



297x
297mm

avyanna | 2.0

20MM  THICKNESS

With their practical, non-slip surface and incredible strength, 20 mm porcelain slabs have become the ideal laying solution for heavy traffic commercial areas and external applications. 100% frostresistant and suitable for sub-zero temperatures means that these tiles can be used for driveways and walkways, as well as for swimming pools surrounds and hard landscaping. They are also entirely resistant to stains, mould and moss, meaning their finish will remain as beautiful as the day it was laid.



avyanna | 2.0

*Add A Calm
Element Through Decor*

APPLICATION AREAS

The avyanna collection brought forward by LandDecor has great strength and durability due to its exceptional thickness which is 20 mm. The porcelain pavers are beautiful and the styles are inspired by the historic Indian heritage. It has various application areas residentially as well as commercially.



Residential



Bathroom & Wellness



Outdoor Stairs



Park & Gazebo



Hotels & Resorts



Swimming Pool



School & College

RAJ GREEN-LG1085

20MM THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BUFF HONED-LG1090

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance




Zero
Maintenance



Highly
Durable



Exteriors



TRAVERTINE-LI1270

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BASALT-LB1098

20MM  THICKNESS


AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



RAVEENA-LG1181

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



CEDAR GREEN-LG1086

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



BLACK SLATE-LB6122

20MM  THICKNESS

AVAILABLE SIZES :




600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



LAVA DARK GREY-LG1044

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



GRIGIO GREY-LG1196

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



MANKIND GREY-LG1359

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

MANKIND IVORY-LI1358

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



AXIS GREY-LG1343

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



ARDESIA-LB1197

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



AXIS BIANCO-LI1341

20MM  THICKNESS

AVAILABLE SIZES :




600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



AXIS CREMA-LI1342

20MM  THICKNESS

AVAILABLE SIZES :




600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable




Exteriors




AXIS BLACK-LB1344

20MM  THICKNESS


AVAILABLE SIZES :




600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance




Zero
Maintenance



Highly
Durable



Exteriors



BIANCO CREMA-LI1195

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EVEREST BEIGE-LI1252

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors




EVEREST NERO-LB1254

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EVEREST PEARL-LI1251

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EVREST GRIS-LG1253

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



FOSSIL GRIS-LG4521

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

FOSSIL NERO-LB4522

20MM  THICKNESS


AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



FOSSIL BEIGE-LI4523

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EARTHSTONE GREY-LG7203

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EARTHSTONE NERO-LB7202

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EARTHSTONE BEIGE-LI7204

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



EARTHSTONE SMOKE-LG7206

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



ANTHRACITE-LB1213

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



MEGMA SILVER-LG7221

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



RAINBOW PORCELAIN-LI1013

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

-  Tonal Variation
-  Anti Slip
-  20mm Thickness
-  Eco Friendly
-  Abrasion Resistance
-  Zero Maintenance
-  Highly Durable
-  Exteriors



SAND PEARL-LI1006

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



SAND MOCHA-LI1005

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



KANDLA GREY PORCELAIN-LG1043 20MM THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors




CRYSTAL BIANCO-LI1001

20MM  THICKNESS

AVAILABLE SIZES :




600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



CRYSTAL GRIS-LG1002

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



CRYSTAL GRAPHITE-LB1003

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



COPPER SLATE-LG3660

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 

Tonal Variation
- 

Anti Slip
- 

20mm Thickness
- 

Eco Friendly
- 

Abrasion Resistance
- 

Zero Maintenance
- 

Highly Durable
- 


Exteriors



MUSTANG NERO-LB1014

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors

MUSTANG GRIS-LG1015

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



G-654-LG1026

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable




Exteriors



G-603-LI1027

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors




ROCK BIANCO-LI4502

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



ROCK GRIS-LG4503

20MM  THICKNESS

AVAILABLE SIZES :




600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



ROCK BEIGE-LI4508

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ROCK BRONZE-LB4506

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



LIMESTONE GREY-LG4518

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



LIMESTONE IVORY-LI4517

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance




Zero Maintenance



Highly Durable



Exteriors



LIMESTONE ASH-LI4520

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



SAGAR BLACK-LG1081

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



YORK STONE-LG1084

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BUFF-LI1083

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



HS GREY-LG1022

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors




HS BEIGE-LI1021

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



HS NERO-LB1023

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



KANDLA GREY HONED-LG1061

20MM  THICKNESS


AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



QUARTZITE PEARL-LI1011

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



SOLEN HOFEN-LI1012

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



AFRICAN SLATE-LG1017

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



QUARTZO GRIS-LG1025

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



LAVA GREY-LG1068

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



LAVA BEIGE-LI1071

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



LAVA NERO-LB1100

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors

GREY SLATE-LG4223

20MM  THICKNESS

AVAILABLE SIZES :



600X900MM



297X600MM



600X600MM



297X297MM

ALSO AVAILABLE IN : 800X800MM | 600X1200MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



NATURAL WOOD

20MM  THICKNESS



297X1200MM



195X1200MM



297X900MM



195X900MM



Tonal
Variation



Anti Slip



20mm
Thickness



Eco
Friendly



Abrasion
Resistance



Zero
Maintenance



Highly
Durable



Exteriors



OAK WOOD SMOKE-LG121116

20MM THICKNESS



297X1200MM



195X1200MM



297X900MM



195X900MM

- Tonal Variation
- Anti Slip
- 20mm Thickness
- Eco Friendly
- Abrasion Resistance
- Zero Maintenance
- Highly Durable
- Exteriors



OAK WOOD BRONZE-LG601117

20MM THICKNESS



297X1200MM



195X1200MM



297X900MM



195X900MM

- Tonal Variation
- Anti Slip
- 20mm Thickness
- Eco Friendly
- Abrasion Resistance
- Zero Maintenance
- Highly Durable
- Exteriors



OAK WOOD GRIS-LG601119

20MM  THICKNESS



297X1200MM



195X1200MM



297X900MM



195X900MM



Tonal Variation



Anti Slip



20mm Thickness



Eco Friendly



Abrasion Resistance



Zero Maintenance



Highly Durable



Exteriors



TECHNICAL SPECIFICATION

NOMINAL SIZE : 60X60CM
THICKNESS : 20.0MM
TYPE OF PRODUCT : OUTDOOR TILE (HEAVY DUTY)
NATURE OF SURFACE : COLOR BODY R11
REF.STANDARD : INTERNATIONAL STANDARD ISO 13006:2015 GROUP B I_a

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	LAND DECOR SPECIFICATION FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0%(0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 7000 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 35 N/MM²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	≤ 4 X 10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

PACKAGING DETAILS

PRODUCT	SIZE(MM)	PCS/BOX	SQM/BOX	APPROX WEIGHT /BOX	CONTAINER PACKAGING	TYPE OF PALLET
OUTDOOR-TILE (HEAVY DUTY)	600X600X20	2	0.72	~ 32.0 KG	1 CONTAINER = 27 PALLETS 1 PALLET = 32 BOX = 23.04 SQM 1 CONTAINER = 864 BOXES = 622.08 SQM	AS PER REQUIREMENT

TECHNICAL SPECIFICATION

NOMINAL SIZE : 60X90CM
THICKNESS : 20.0MM
TYPE OF PRODUCT : OUTDOOR TILE (HEAVY DUTY)
NATURE OF SURFACE : COLOR BODY R11
REF.STANDARD : INTERNATIONAL STANDARD ISO 13006:2015 GROUP B I_a

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	LAND DECOR SPECIFICATION FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0%(0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 7000 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 35 N/MM²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	≤ 4 X 10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

PACKAGING DETAILS

PRODUCT	SIZE(MM)	PCS/BOX	SQM/BOX	APPROX WEIGHT /BOX	CONTAINER PACKAGING	TYPE OF PALLET
OUTDOOR-TILE (HEAVY DUTY)	600X900X20	1	0.54	~ 24.0 KG	1 CONTAINER = 29 PALLETS 1 PALLET = 40 BOX = 21.6 SQM 1 CONTAINER = 1160 BOXES = 626.4 SQM	AS PER REQUIREMENT